



1ST LINE DEFENCE

UXO Assessed, Mitigated, Managed

Detailed UXO Risk Assessment

Comprehensive, bespoke historical research for complete confidence


An assessment of potential UXO risk to a project is the first step in any UXO Risk Management Plan. It is normally recommended that in the first instance, a site should be screened by undertaking a Preliminary UXO Risk Assessment – using relatively basic factors to assess whether there is any need for undertaking further research, or whether any potential risk from UXO can obviously be negated at that stage. If the risk cannot be discounted, the next stage would be commission a Detailed Risk Assessment.

The purpose of the detailed assessment is to examine in depth, using both internal and external resources, the likelihood of encountering explosive ordnance during proposed works at a site, the associated risk, and if necessary, make recommendations for appropriate risk mitigation measures.

1st Line Defence have a reputation for producing the most comprehensive Detailed UXO Risk Assessments in the industry. Fully compliant with CIRIA C681 (Unexploded Ordnance, A Guide for the Construction Industry), the reports allow the potential risk on any site in the UK to be fully qualified.

Our graduate research team produce entirely bespoke documents, utilising all of the pertinent historical information and resources that can be obtained or that prove to be available. All of the data we collect for an assessment – mapping, photography, written records, bomb maps etc. is presented within the reports and analysed in detail. We ensure that our findings and conclusions are clear and concise, so that a client can fully understand and appreciate the reasoning/rationale behind our risk assessments. Each report goes through a rigorous quality assurance procedure, being both management and peer-reviewed to ensure that the research is comprehensive, consistent and the evaluations are well-defined and justified.

As standard we use information from local and national archives, historical mapping, high resolution WWII-era aerial photography, written ARP bomb incident reports, Luftwaffe target information, bomb census mapping and any other resource that is available to us, depending on the site and the nature of the risk.



Got a UXO problem? Need some advice? Looking for a UXO expert?

Call: 01992 245020 or Email: info@1stlinedefence.co.uk

1st Line Defence 3 Maple Park, Essex Rd, Hoddesdon EN11 0EX

Company Reg No. 07717863 VAT Reg No. GB 128883379

Visit: www.1stlinedefence.co.uk





1ST LINE DEFENCE

UXO Assessed, Mitigated, Managed

Detailed UXO Risk Assessment

Five-step Approach to Risk Assessment

1. The risk that the site was contaminated with UXO

The risk that a site could have become contaminated with UXO takes up the bulk of our historical research. This is effectively assessing the likelihood that an item of UXO could have fallen within an area and gone unnoticed and unrecorded, or have been lost, burnt, buried or otherwise discarded by military personnel. No UXO assessment can rely on a single source of information. Just because a bomb fell on a site does not necessarily mean that there is a UXO risk. The site needs to be thoroughly examined in its historical context – what was it used for during the war, how frequently would it have been accessed, was it damaged, what was the nature of the groundcover, would it have been subject to post-raid checks. For bombing risk, we therefore break this section into five subsections – see right.

2. The Risk that UXO Remains

This is another key consideration, and concentrates on factors such as post-war development, and whether any UXO clearance operations have already been undertaken. While the risk of contamination on a site during WWII might have been high, the entire area may have been excavated post-war, thus removing the risk. Conversely, if a site has not been touched since the war, the risk of UXO remaining will not have been reduced.

3. The Risk of Encounter

It may be considered that a site could have become contaminated, and that any UXO is likely to remain. However, the risk that it would be encountered would depend largely on what was planned on site. Bulk excavation over the entire site area would almost certainly mean an item of ordnance remaining would be encountered. Small scale works may mean the likelihood is less.

4. The Risk of Initiation

Even if an item of ordnance is encountered, it does not necessarily mean it will detonate. This will depend on factors such as the energy with which it is struck. Percussive piling may for example pose a greater risk than careful hand-digging.

5. Consequences of Initiation or Encounter

The consequences of initiation on any site could potentially be severe. However, another consideration is the consequence of simply *encountering* UXO. This can result in significant downtime, which for larger sites can mean very significant costs. Even a suspected item of ordnance can result in site closure for a significant period of time.

Risk of Contamination

Bomb Density – was the area bombed, were there targets in the area, did the site sustain bomb strikes, what was the density of bombing etc. It is important to consider the bombing density for assessing the possibility that UXBs remain in an area. High bombing density could allow for errors in record keeping due to extreme damage caused to the area.

Ground Cover – the nature of the groundcover present on a site during WWII can have an influence on the likelihood that UXO may have gone unnoticed – for example an open area of scrubby marshland compared to a well maintained cricket pitch.

Frequency of Access – how often would the area have been accessed, is it likely to have been specifically checked post-raid.

Damage – is there evidence of significant damage on a site, was rubble and debris present into which UXO could have fallen unnoticed, were any buildings cleared, is there evidence of craters and ground disturbance.

Bomb Failure Rate – were many UXBs recorded in the area, was the failure rate in the area higher than average.

Site specific factors / activities such as those listed below may be taken into consideration where appropriate:

- Site Location and Scope of Proposed Works
- Ground Conditions
- RAF / USAAF Bases
- Home Guard Activities
- Land Service / Small Arms Ammunition Contamination
- German Air-Delivered Ordnance
- Allied Air-Delivered Ordnance
- Aircraft Activity and Crashes
- Explosive ordnance manufacturing, storage and disposal
- Usage of decoy sites
- Training and staging areas
- Defensive Positions
- Firing Ranges and Training Areas
- Army Camps
- Anti-aircraft Batteries
- Prisoner of War Camps
- Press articles of UXO Finds
- 33 Engineer Regiment (EOD) Clearance Tasks

Got a UXO problem? Need some advice? Looking for a UXO expert?

Call: 01992 245020 or Email: info@1stlinedefence.co.uk

1st Line Defence 3 Maple Park, Essex Rd, Hoddesdon EN11 0EX

Company Reg No. 07717863 VAT Reg No. GB 128883379

Visit: www.1stlinedefence.co.uk

